

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/620,381	07/17/2003	Thomas Stenzel	240355US6	8763
22850 7	590 04/30/2004		EXAMINER	
OBLON, SPIVAK, MCCLELLAND, MAIER & NEUSTADT, P.C.			BROWN,	PETER R
ALEXANDRIA, VA 22314			ART UNIT	PAPER NUMBER
			3636	

DATE MAILED: 04/30/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)				
	10/620,381	STENZEL ET AL.				
Offic Action Summary	Examiner	Art Unit				
	Peter R. Brown	3636				
The MAILING DATE of this communication app	pears on the cover sheet with the c	orrespondence address				
Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPL' THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a repl If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be tim y within the statutory minimum of thirty (30) days will apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on						
	= action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1-7</u> is/are pending in the application.						
• • • • • • • • • • • • • • • • • • • •	4a) Of the above claim(s) is/are withdrawn from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-7</u> is/are rejected.	<u></u>					
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/o	r election requirement.					
Application Papers						
9) The specification is objected to by the Examine	er.					
10)⊠ The drawing(s) filed on is/are: a)□ accepted or b)⊠ objected to by the Examiner.						
Applicant may not request that any objection to the						
Replacement drawing sheet(s) including the correct						
11) The oath or declaration is objected to by the Ex						
Priority under 35 U.S.C. § 119						
12) ☑ Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a))-(d) or (f).				
a) All b) Some * c) None of:	priority dilater to the second of the second	(d) 51 (i).				
1.⊠ Certified copies of the priority documents have been received.						
2. Certified copies of the priority document		on No.				
3. Copies of the certified copies of the prior						
application from the International Burea		· ·				
* See the attached detailed Office action for a list		ed.				
Attachment(s)						
Attachment(s) 1) Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	ate				
3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date	5) Notice of Informal P 6) Other:	Patent Application (PTO-152)				

Application/Control Number: 10/620,381

Art Unit: 3636

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the height adjustable backrest, as set forth in claim 7, must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

A proposed drawing correction or corrected drawings are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

Claims 1-7 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

In claim 1, line 4, there is no definite antecedent basis for "the backrest".

The same applies to "the top end of the guide sleeve", in line 7, "the bottom articulation bearing", in line 11, "the top articulation bearing", in line 12, "the bottom of the retaining bar", in lines 15 and 16, and "the shaft" and "the backrest panel", in line 20.

Claim 2 as a whole is confusing and unclear.

In claim 4, "its nose" lacks definite antecedent basis.

In claim 6, the term "PUR material" is not a common art term, and should be defined in structural terms.

Claims 1-7 would be allowable if rewritten or amended to overcome the rejection(s) under 35 U.S.C. 112, second paragraph, set forth in this Office action.

Application/Control Number: 10/620,381

Art Unit: 3636

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Glasgow, Page, Krantz, Hirth, Riach, Lloyd, Georg et al, Tinsley, and Bauer et al show various features of the invention.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Peter R. Brown whose telephone number is 703-308-2103. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

> Brown Primary Examiner Art Unit 3636

prb